



PERFIS DE ALUMÍNIO

SOLUÇÕES E EXTRUSÃO
DE ALTA QUALIDADE




LINHA 25




P-140

0,438 kg/m




P 412

0,521 kg/m




P-318

0,612 kg/m




P-414

0,644 kg/m




U-425

0,144 kg/m




A5 A-034


0,496 kg/m




P-147 0,314 kg/m




P-146 0,430 kg/m




U 522 0,102 kg/m




Y 126 0,333 kg/m




P-145 0,401 kg/m




P-574 0,637 Kg/m




A-048 0,673 kg/m




A-056 0,373 kg/m




A-152 0,496 kg/m




A-194 0,571 kg/m




P-319 0,685 Kg/m




A5 I-105 0,231 kg/m




A5 I-122 0,465 kg/m




A5 P-153 0,494 kg/m




A5 P-167 0,350 kg/m




A6 Y-195 0,445 kg/m




A6 A 055 0,463 kg/m




A6 Y-260 0,714 kg/m




A6 Y-350 0,905 kg/m




A6 P-064 0,375 kg/m




A5 Z 175 0,490 kg/m




A6 Y-140 0,384 Kg/m



A5 U-482 0,115 kg/m




A6 P-120 0,508 kg/m



A6 P-273

0,562 kg/m



A6 P-121

0,532 kg/m